



HARD SURFACE DISINFECTING WIPES

NABC[®], Fresh, and Lemon Scents



Spartan Hard Surface Disinfecting Wipes will clean and disinfect³ hard, non-porous surfaces and leave a clean, fresh scent. The pre-moistened wipe and convenient flip top lid provide easy convenient dispensing. Great for on-the-go cleaning, Spartan Hard Surface Disinfecting Wipes kill 99.9% of bacteria in just 15 seconds**.

HARD SURFACE DISINFECTING WIPES

FEATURES

- Cleans, disinfects³, and deodorizes
- Kills the virus that causes COVID-19⁵ on hard-nonporous surfaces in just 30 seconds!³
- Kills the cold¹ & flu viruses on hard non-porous surfaces^{†††}

BENEFITS

- One step[^] cleaning and disinfecting³
- Fast and effective cleaning
- Effective against odor-causing bacteria
- Just pull, wipe and toss for cleaning

** *Staphylococcus aureus*, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Escherichia coli* O157:H7

¹ Human Coronavirus (ATCC VR-740)

³ When used according to disinfection directions

⁵ Severe, Acute, Respiratory Syndrome related Coronavirus 2

^{††} When used on food contact surfaces: thoroughly rinse all treated surfaces with potable (tap) water

^{†††} Influenza A Virus, H1N1 Influenza A Virus, Human Coronavirus (ATCC VR-740)

[^] "One Step" claim is limited to association with non-food contact surface use

SPECIFICATION DATA

pH	10.0 – 12.0
Fragrance	Lemon Scent Fresh Scent NABC [®] Scent
Specific Gravity @ 24°C/75°F	1.007
EPA Registration Number	1839-190-5741

ORDERING INFORMATION*



#108506 Lemon Scent
#108606 Fresh Scent
#108706 NABC[®] Scent

EFFICACY DATA

DISINFECTING

This product is an effective disinfectant against: *Pseudomonas aeruginosa* (ATCC 15442), *Salmonella enterica* (ATCC 10708), *Staphylococcus aureus* (ATCC 6538), Methicillin resistant *Staphylococcus aureus* (ATCC 33592), Community Associated Methicillin resistant *Staphylococcus aureus* Genotype USA400 (NRS 123), Community Associated Methicillin resistant *Staphylococcus aureus* Genotype USA300 (NRS 384), *Klebsiella pneumoniae* New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant, *Escherichia coli* O157:H7 (ATCC 43895), *Streptococcus pyogenes* (ATCC 19615), Vancomycin Resistant *Enterococcus faecium* (ATCC 51559), and Vancomycin intermediate resistant *Staphylococcus aureus* (ATCC 700699) when the treated surface is allowed to remain visibly wet for 2 minutes.

*VIRUCIDAL ACTIVITY

Human Immunodeficiency Virus Type 1 (HIV-1), Avian Influenza Virus (H5N1), and SARS-Related Coronavirus 2 (SARS-CoV-2) when the treated surface is allowed to remain visibly wet for 30 seconds.

Influenza A Virus (H1N1), Duck Hepatitis B Virus (DHBV), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Human Rotavirus (ATCC VR-2018), and Bovine Viral Diarrhea Virus (BVDV) when the treated surfaces is allowed to remain visibly wet for 1 minute.

Influenza A2/305/57 Virus (H2N2), Herpes Simplex Virus 1 (ATCC VR-260), Herpes Simplex Virus 2 (ATCC VR-734), Feline Calicivirus (ATCC VR-782), Norovirus (Norwalk Virus), Human Coronavirus (ATCC VR-740, strain 229E) and Rhinovirus Type 39 (ATCC VR-340) when the treated surface is allowed to remain visibly wet for 2 minutes.

KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, Human Hepatitis B Virus (HBV) and Human Hepatitis C Virus (HCV).

FUNGICIDAL ACTIVITY

This product is an effective fungicide against Trichophyton interdigitale, formerly Trichophyton mentagrophytes (causative agent of Athlete's Foot fungus) (a cause of ringworm) when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard, non-porous, surfaces commonly contacted by bare feet. The surface must remain visibly wet for 3 minutes. Allow surfaces to air dry.

SANITIZING/DEODORIZING

To sanitize/deodorize hard, non-porous surfaces: wipe surface, using enough wipes to allow treated surfaces to remain visibly wet for 15 seconds for *Staphylococcus aureus*, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Escherichia coli* O157:H7 and 60 seconds for *Campylobacter jejuni*. Let surface dry. For highly soiled surfaces, clean excess dirt first.

* Each canister contains 125 pre-moistened, 7" x 8" wipes.

SAFETY: Be sure to read all directions, precautionary and first aid statements on product labels before using this or any other Spartan product. If questions remain, consult your employer or a physician. Safety Data Sheets for all Spartan products are available from your authorized Spartan distributor and at www.spartanchemical.com.

GUARANTEE: Spartan's modern manufacturing and laboratory control ensures uniform quality. If dissatisfied with performance of product, any unused portion may be returned for credit within 12 months of the date of manufacture.

